

2008 SOLAS-related publications

- Allgaier, M., U. Riebesell, M. Vogt, R. Thyrrhaug and H.P. Grossart, (2008), 'Coupling of heterotrophic bacteria to phytoplankton bloom development at different pCO₂ levels: a mesocosm study', *Biogeosciences*, 5, 1145-1156
- Bellerby, R. G. J., K.G. Schulz, U. Riebesell, C. Neill, G. Nondal, T. Johannessen and K.R. Brown, (2008), 'Marine ecosystem community carbon and nutrient uptake stoichiometry under varying ocean acidification during the PeECE III experiment', *Biogeosciences*, 5, 1517-1527
- Boutin, J., L. Merlivat, C. Hénocq, N. Martin, and J. B. Sallée, (2008), 'Air-sea CO₂ flux variability in frontal regions of the Southern Ocean from CARIOCA drifters', *Limnol. Oceanogr.*, 53, 2062-2079.
- Brooks, I. M., (2008), 'Spatially Distributed Measurements of Platform Motion for the Correction of Ship-Based Turbulent Fluxes', *J. Atmos. Oceanic Technol.*, 25, 2007-2017.
- Buesseler, K.O., S.C. Doney, D.M. Karl, P.W. Boyd, K. Caldeira, F., Chai, K. Coale, H.J.W. de Baar, P.G. Falkowski, K.S. Johnson, R., S. Lampitt, A.F. Michaels, S.W.A. Naqvi, V. Smetacek, S. Takeda, and A.J. Watson (2008), 'Ocean iron fertilization: moving forward in a sea of uncertainty', *Science*, 319, 162, doi:10.1126/science.1154305
- Capes, G., Johnson, B., McFiggans, G., Williams, P.I., Haywood, J. and Coe, H. (2008), 'Aging of biomass burning aerosols over West Africa: Aircraft measurements of chemical composition, microphysical properties, and emission ratios', *J. Geophys. Res. D: Atmospheres*, 113.
- Cunliffe, M., H. Schafer, E. Harrison, S. Cleave, R.C. Upstill-Goddard and J.C. Murrell (2008), 'Phylogenetic and functional gene analysis of the bacterial and archaeal communities associated with the surface microlayer of an estuary' *ISME Journal*, 2, 776-789, doi:10.1038/ismej.2008.28
- De, J., Fukami, K., Iwasaki, K. and Okamura, K. (2008), 'Distribution of heavy metals at the Uranouchi Inlet, Kochi prefecture, Japan', *Fish. Sci.* 75, 413-423.
- De J., N. Ramaiah and L. Vardanyan, (2008), 'Detoxification of toxic heavy metals by marine bacteria highly resistant to mercury', *Mar. Biotechnol.*, 10(4), 471-477
- Engel, A., K.G. Schulz, U. Riebesell, R. Bellerby, B. Delille and M. Schartau, (2008), 'Effects of CO₂ on particle size distribution and phytoplankton abundance during a mesocosm bloom experiment (PeECE II)', *Biogeosciences*, 5, 509-521
- Formenti, P., Rajot, J.L., Desboeufs, K., Caquineau, S., Chevaillier, S., Nava, S., Gaudichet, A., Journet, E., Triquet, S., Alfaro, S., Chiari, M., Haywood, J., Coe, H. and Highwood, E. (2008), 'Regional variability of the composition of mineral dust from western Africa: Results from the AMMA SOP0/DABEX and DODO field campaigns', *J. Geophys. Res. D: Atmospheres*, 113.
- Frölicher, T.L., F. Joos, G.-K. Plattner, M. Steinacher, and S. C. Doney, (2008), 'Natural variability and anthropogenic trends in oceanic oxygen in a coupled carbon cycle-climate model ensemble', *Global Biogeochemical Cycles*, in press, doi:10.1029/2008GB003316
- Galbraith, E.D, M. Kienast, S.L. Jaccard, T.F. Pedersen, B.G. Brunelle and K. Thorsten, (2008), 'Consistent relationship between global climate and surface nitrate utilization in western Subarctic Pacific throughout last 500 ky.', *Paleoceanography*, 23, PA2212, doi:10.1029/2007PA001518.

- Gehlen, M., L. Bopp and O. Aumont (2008), 'The short-term dissolution response of pelagic carbonate sediments to the invasion of anthropogenic CO₂: A model study', *Geochem. Geophys. Geosyst.*, 9, Q02012, doi:10.1029/2007GC001756.
- Gerber, M., F. Joos, M. Vazquez-Rodriguez, F. Touratier, and C. Goyet. (2008), 'Regional air-sea fluxes of anthropogenic carbon inferred with an Ensemble Kalman Filter', *Global Biogeochemical Cycles*, in press, doi:10.1029/2008GB003247
- Greed, G., Haywood, J.M., Milton, S., Keil, A., Christopher, S.A., Gupta, P. and Highwood, E.J., 'Aerosol optical depths over North Africa: 2. Modeling and model validation', *J. Geophys. Res. D: Atmospheres*, 113.
- Gypens, N., C. Lancelot and K. Soetaert, (2008), 'Simple parameterisations for describing N and P diagenetic processes: Application in the North Sea', *Progress in Oceanography* 76(1), 89-110, doi:10.1016/j.pocean.2007.10.003
- Haywood, J.M., Pelon, J., Formenti, P., Bharmal, N.A., Brooks, M.E., Capes, G., Chazette, P., Chou, C., Christopher, S.A., Coe, H., Cuesta, J., Derimian, Y., Desboeufs, K., Greed, G., Harrison, M., Heese, B., Highwood, E.J., Johnson, B., Mallet, M., Marticorena, B., Marsham, J., Milton, S., Myhre, G., Osborne, S.R., Parker, D.J., Rajot, J.L., Schulz, M., Slingo, A., Tanré, D. and Tulet, P., 'Overview of the dust and biomass-burning experiment and African monsoon multidisciplinary analysis special observing period-0', *J. Geophys. Res. D: Atmospheres*, 113.
- Hense, I. and Quack, B., (2008), 'Modelling the vertical distribution of bromoform in the upper water column of the tropical Atlantic Ocean', *Biogeosciences Discuss.*, 5, 4919-4944
- Hill M. K., B. J. Brooks, S. J. Norris, M. H. Smith, I. M. Brooks, G. de Leeuw, (2008), 'A Compact Lightweight Aerosol Spectrometer Probe (CLASP)', *J. Atmos. Oceanic Technol.*, 25, 1996-2006.
- Hughes, C., Malin, G., Turley, C.M., Keely, B.J., Nightingale, P.D. and Liss, P.S. (2008), 'The production of volatile iodocarbons by biogenic marine aggregates', *Limnol. Oceanogr.*, 53, 867-872.
- Jayaprakash M., M.P. Jonathan, S. Srinivasalu, S. Muthuraj, V. Ram-Mohan, N. Rajeshwara-Rao (2008), 'Acid-leachable trace metals in sediments from an industrialized region (Ennore Creek) of Chennai City, SE coast of India: An approach towards regular monitoring', *Estuarine, Coastal and Shelf Science*, 76, 692-703, doi:10.1016/j.ecss.2007.07.035
- Jiang, L.-Q., W.-J. Cai, R. Wanninkhof, Y. Wang, and H. Lüger (2008), 'Air-sea CO₂ fluxes on the U.S. South Atlantic Bight: Spatial and seasonal variability', *J. Geophys. Res.*, 113, C07019, doi:10.1029/2007JC004366.
- Johnson, M.T. and Bell, T.G. (2008), 'Coupling between dimethylsulfide emissions and the ocean-atmosphere exchange of ammonia', *Env. Chem.*, 5, 259-267.
- Johnson, M.T., Liss, P.S., Bell, T.G., Lesworth, T.J., Baker, A.R., Hind, A.J., Jickells, T.D., Biswas, K.F., Woodward, E.M.S. and Gibb, S.W. (2008), 'Field observations of the ocean-atmosphere exchange of ammonia: Fundamental importance of temperature as revealed by a comparison of high and low latitudes', *Glob. Biogeochem. Cycles*, 22.
- Joos, F. and R. Spahni, (2008), 'Rates of change in natural and anthropogenic radiative forcing over the past 20,000 years', *Proceedings of the National Academy of Sciences USA (PNAS)*, 105, 1425-1430.

- Kamenos, N.A., Strong, S.C., Shenoy, D.M., Wilson, S.T., Hatton, A.D. and Moore, P.G. (2008), 'Red coralline algae as a source of marine biogenic dimethylsulphoniopropionate', *Mar. Ecol. Prog. Ser.*, 372, 61-66.
- Kent, E.C., Josey, S.A., Berry, D.I., Yelland, M.J., Baxter, J.M., Buckley, P.J. and Wallace, C.J. (2008), 'Scientific review - air-sea flux (exchange) of heat and freshwater', *Marine Climate Change Impacts Annual Report Card, 2007-2008*.
- Key, J.M., N. Paulk, A.M. Johansen (2008), 'Photochemistry of Iron in Simulated Crustal Aerosols with Dimethyl Sulfide Oxidation Products', *Environmental, Science & Technology*, 42, 133-139, doi:10.1021/es071469y
- Kienast, M., M.F. Lehmann, A. Timmermann, E.D. Galbraith, T. Bolliet, A. Holbourn, C. Normandeau and C. Laj, (2008), 'A mid-Holocene transition in the nitrogen dynamics of the western equatorial Pacific: Evidence of a deepening thermocline?', *Geophysical Research Letters*, 35, L23610, doi:10.1029/2008GL035464.
- Kock, A., S. Gebhardt, A. Freing, and H. W. Bange (2008), 'Methane emissions from the upwelling area off Mauritania (NW Africa)', *Biogeosciences*, 5, 1119-1125
- Korhonen, H., Carslaw, K.S., Spracklen, D.V., Mann, G.W. and Woodhouse, M.T. (2008), 'Influence of oceanic dimethyl sulfide emissions on cloud condensation nuclei concentrations and seasonality over the remote Southern Hemisphere oceans: A global model study', *J. Geophys. Res.*, 113.
- Korhonen, H., Carslaw, K.S., Spracklen, D.V., Riley, D.A. and Ström, J. (2008), 'A global model study of processes controlling aerosol size distributions in the Arctic spring and summer', *J. Geophys. Res. D: Atmospheres*, 113.
- Küpper, F.C., Carpenter, L.J., McFiggans, G.B., Palmer, C.J., Waite, T.J., Boneberg, E.M., Woitsch, S., Weiller, M., Abela, R., Grolimund, D., Potin, P., Butler, A., Lutherli, G.W., Kroneck, P.M.H., Meyer-Klaucke, W. and Feiters, M.C. (2008), 'Iodide accumulation provides kelp with an inorganic antioxidant impacting atmospheric chemistry', *Proc. Nat. Acad. Sci. U.S.A.*, 105, 6954-6958.
- Lampitt, R.S., Achterberg, E.P., Anderson, T.R., Hughes, J.A., Iglesias-Rodriguez, M.D., Kelly-Gerreyn, B.A., Lucas, M., Popova, E.E., Sanders, R., Shepherd, J.G., Smythe-Wright, D. and Yool, A (2008), 'Ocean fertilization: A potential means of geoengineering? *Philos. Trans. Royal Soc. London, Ser. A*, 366, 3919-3945.
- Langridge, J.M., Ball, S.M., Shillings, A.J.L. and Jones, R.L. (2008), 'A broadband absorption spectrometer using light emitting diodes for ultrasensitive, in situ trace gas detection', *Rev. Sci. Instrum.*, 79.
- Lannuzel, D., V. Schoemann, J.T.M. de Jong, L. Chou, B. Delille, S. Becquevort, S. & J.L. Tison, (2008), 'Iron study during a time series in the Weddell pack ice', *Marine Chemistry*, 108, 85-95
- Lizotte, M., Levasseur, M., Scarratt, M.G., Michaud, S., Merzouk, S., Gosselin, M., Pommier, J, (2008), 'Fate of DMSP during the decline of the Northwest Atlantic spring diatom bloom, *Aquatic Microbial Ecology*, 52, 159-173
- McConnell, C.L., Highwood, E.J., Coe, H., Formenti, P., Anderson, B., Osborne, S., Nava, S., Desboeufs, K., Chen, G. and Harrison, M.A.J. (2008), 'Seasonal variations of the physical and optical characteristics of Saharan dust: Results from the Dust Outflow and Deposition to the Ocean (DODO) experiment', *J. Geophys. Res.*, 113.

- Merzouk, A., Levasseur, M., Scarratt, M., Michaud, S., Lizotte, M., Rivkin, R.B., Kiene, R.P., (2008), 'Bacterial DMSP metabolism during the senescence of the spring diatom bloom in the Northwest Atlantic', *Marine Ecology Progress Series*, 369, 1-11
- Moat, B.I. and Yelland, M.J. (2008), 'Going with the flow: State of the art marine meteorological measurements on the new NERC research vessel', *Weather*, 63, 158-159.
- Müller, S.A., F. Joos, N. R. Edwards, and T. F. Stocker, (2008), 'Modeled natural and excess radiocarbon: Sensitivities to the gas exchange formulation and ocean transport strength', *Global Biogeochemical Cycles*, 22, GB3011, doi:10.1029/2007GB003065.
- Nicholson, D., S. Emerson, and C.C. Eriksen, (2008), 'Net community production in the deep euphotic zone of the subtropical North Pacific gyre from glider surveys', *Limnol. Oceanogr.*, 53(5II), 2226–2236
- Norris, S. J., I. M. Brooks, G. de Leeuw, M. H. Smith, M. Moeman, J. J. N. Lingard, (2008), 'Eddy covariance measurements of sea spray particles over the Atlantic Ocean', *Atmos. Chem. Phys.*, 8, 555-563.
- Obata H., K. Shitashima, K. Isshiki, and E. Nakayama, (2008), 'Iron, manganese and aluminum in upper waters of the western South Pacific Ocean and its adjacent seas', *Journal of Oceanography*, 64, 233-245.
- Oschlies, A., K.G. Schulz, U. Riebesell and A. Schmittner, (2008), 'Simulated 21st century's increase in oceanic suboxia by CO₂-enhanced biotic carbon export', *Global Biogeochem. Cycles*, GB4008, doi:10.1029/2007GB003147
- Parekh, P., F. Joos, and S. A. Müller, (2008), 'A modeling assessment of the interplay between aeolian iron fluxes and iron-binding ligands in controlling carbon dioxide fluctuations during Antarctic warm events', *Paleoceanography*, 23, PA4202, doi:10.1029/2007PA001531
- Patey, M. D., M. J. A. Rijkenberg, P. J. Statham, M. C. Stinchcombe, E. P. Achterberg and M. Mowlem (2008), 'Determination of nitrate and phosphate in seawater at nanomolar concentrations', *TrAC Trends in Analytical Chemistry*, 27 (2), 169-182, doi:10.1016/j.trac.2007.12.006
- Pineda Rojas, A.L. and Venegas, L.E. (2008), 'Dry and wet deposition of nitrogen emitted in Buenos Aires city to waters of de la Plata River', *Water, Air, & Soil Pollution*, 193(1-4), 175-188.
- Pineda Rojas, A.L. and Venegas, L.E. (2009), 'Atmospheric deposition of nitrogen emitted in the Metropolitan Area of Buenos Aires to coastal waters of de la Plata River', *Atmospheric Environment*, 43(6), 1339-1348.
- Ragni, M., Airs, R.L., Leonardos, N. and Geider, R.J. (2008), 'Photoinhibition of PSII in *Emiliania huxleyi* (Haptophyta) under high light stress: The roles of photoacclimation, photoprotection, and photorepair', *J. Phycol.*, 44, 670-683.
- Read, K.A., Mahajan, A.S., Carpenter, L.J., Evans, M.J., Faria, B.V.E., Heard, D.E., Hopkins, J.R., Lee, J.D., Moller, S.J., Lewis, A.C., Mendes, L., McQuaid, J.B., Oetjen, H., Saiz-Lopez, A., Pilling, M.J. and Plane, J.M.C. (2008). 'Extensive halogen-mediated ozone destruction over the tropical Atlantic Ocean', *Nature*, 453, 1232-1235.
- Riebesell, U., R. Bellerby, H.P. Grossart and F. Thingstad, (2008), 'Mesocosm CO₂ perturbation studies: from organism to community level', *Biogeosciences*, 5, 1157-1164

- Rijkenberg, M.J.A., C.F. Powell, M. Dall'Osto, M.C. Nielsdottir, M.D. Patey, P.G. Hill, A.R. Baker, T.D. Jickells, R.M. Harrison, and E.P. Achterberg, (2008), 'Changes in iron speciation following a Saharan dust event in the tropical North Atlantic Ocean', *Mar. Chem.*, 110(1-2), 56-67
- Schmittner, A. and E. D. Galbraith (2008), 'Glacial greenhouse gas fluctuations controlled by ocean circulation changes, *Nature*, 456, 373-376, doi:10.1038/nature07531/.
- Schmittner, A., A. Oschlies, H.D. Matthews and E.D. Galbraith, (2008), 'Future changes in climate, ocean circulation, ecosystems and biogeochemical cycling simulated for a business-as-usual CO₂ emission scenario until year 4000 AD.', *Global Biogeochemical Cycles*, 22, GB1013, doi:10.1029/2007GB002953
- Schulz, K.G., U. Riebesell, R.G.J. Bellerby, H. Biswas, M. Meyerhöfer, M.N. Müller, J.K. Egge, J.C. Nejstgaard, C. Neill, J. Wohlers and E. Zöllner, (2008), 'Build-up and decline of organic matter during PeECE III', *Biogeosciences*, 5, 707-718
- Spracklen, D.V., Arnold, S.R., Sciare, J., Carslaw, K.S. and Pio, C. (2008), 'Globally significant oceanic source of organic carbon aerosol', *Geophys. Res. Lett.*, 35.
- Steinacher, M., F. Joos, T. L. Frölicher, G.-K. Plattner, and S. C. Doney, (2008), 'Imminent ocean acidification projected with the NCAR global coupled carbon cycle-climate model', *Biogeosciences Discuss.*, 5, 4353-4393
- Stramma, L., P. Brandt, J. Schafstall, F. Schott, J. Fischer, and A. Körtzinger, (2008), 'The oxygen minimum zone in the eastern North Atlantic south and east of the Cape Verde Islands', *J. Geophys. Res.*, 113, C04014, doi:10.1029/2007JC004369.
- Tagliabue, A., and L. Bopp, (2008), 'Towards understanding global variability in ocean carbon-13', *Global Biogeochem. Cycles*, 22, GB1025, doi:10.1029/2007GB003037
- Tanaka, T., T.F. Thingstad, T. Løvndal, H.P. Grossart, A. Larsen, K.G. Schulz and U. Riebesell, (2008), 'Availability of phosphate for phytoplankton and bacteria and of labile organic carbon for bacteria at different pCO₂ levels in a mesocosm study', *Biogeosciences*, 5, 669-678
- Tschumi, T., F. Joos, and P. Parekh, (2008), 'How important are Southern Hemisphere wind changes for low glacial carbon dioxide?- A model study', *Paleoceanography*, 23, PA4208 doi:10.1029/2008PA001592
- Tyrrell, T., B. Schneider, A. Charalampopoulou and U. Riebesell, (2008), 'Coccolithophores and calcite saturation state in the Baltic and Black Seas' *Biogeosciences*, 5, 485-494
- Vardanyan, L., K. Schmieder, H. Sayadyan, T. Heege, J. Heblinski, T. Agyemang, J. De, J. Breuer, M. Sengupta and R. Dalwani, (2008), 'Heavy metal accumulation by certain aquatic macrophytes from Lake Sevan (Armenia)', *Proceedings of Taal-2007: The 12th World Lake Conference*, 1028-1038.
- Vila-Costa, M., R.P. Kiene, R. Simo, (2008), 'Seasonal variability of the dynamics of dimethylated sulfur compounds in a coastal northwest Mediterranean site', *Limnol. Oceanogr.*, 53(1), 2008, 198-211
- Vogt, M., M. Steinke, S. Turner, A. Paulino, M. Meyerhöfer, U. Riebesell, C. LeQuéré and P. Liss, (2008), 'Dynamics of dimethylsulphoniopropionate and dimethylsulphide under different CO₂ concentrations during a mesocosm experiment', *Biogeosciences*, 5, 407-419

Wagener, T., C. Guieu, R. Losno, S. Bonnet, and N. Mahowald (2008), 'Revisiting atmospheric dust export to the Southern Hemisphere ocean', *Biogeochemical implications, /Global Biogeochem. Cycles*, 22, GB2006, doi:10.1029/2007GB002984

Wagener, T., E. Pulido-Villena, and C. Guieu (2008), 'Dust iron dissolution in seawater: Results from a one-year time-series in the Mediterranean Sea', *Geophys. Res. Lett.*, 35, L16601, doi:10.1029/2008GL034581.

Weller, R.A., F. Bradley, J.B. Edson, C. Fairall, I.M. Brooks, M.J. Yelland, R.W. Pascal, (2008), 'Sensors for physical fluxes at the sea surface: energy, heat, water, salt', *Ocean Science*, 4, 247- 263.

Woodhouse, M.T., Mann, G.W., Carslaw, K.S. and Boucher, O. (2008), 'New Directions: The impact of oceanic iron fertilisation on cloud condensation nuclei', *Atmos. Environ.*, 42, 5728-5730.

Yassaa, N., I. Peeken, E. Zöllner, K. Bluhm, S. Arnold, D. Spracklen and J. Williams (2008), 'Evidence for marine production of monoterpenes', *Environmental Chemistry*, 5(6), 391–401, doi:10.1071/EN08047

Zhou, X., A. J. Davis, D. J. Kieber, W. C. Keene, J. R. Maben, H. Maring, E. E. Dahl, M. A. Izaguirre, R. Sander, and L. Smoydzyn, (2008), 'Photochemical production of hydroxyl radical and hydroperoxides in water extracts of nascent marine aerosols produced by bursting bubbles from Sargasso seawater', *Geophys. Res. Lett.*, 35, L20803, doi:10.1029/2008GL035418

Zubkov, M.V. and Tarran, G.A. (2008), 'High bacterivory by the smallest phytoplankton in the North Atlantic Ocean', *Nature*, 455, 224-226.

Special issues

Vol. 55, Issues 5-7: Kerguelen: compared study of the Ocean and the Plateau in Surface water (KEOPS) research program, edited by S. Blain, B. Queguinier, T. Trull.